

True Strains - Nirvana

 Sample ID: SA-230610-22712
 Batch: 08June2023-TS-NIRV
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Mass (g):

 Received: 06/15/2023
 Completed: 06/30/2023

Client
 3Chi
 275 Medical Dr #857
 Carmel, IN 46082
 USA
 Lic. #: 18_0235

Summary
Test
 Cannabinoids
 Heavy Metals
 Microbials
 Mycotoxins
 Pesticides
 Residual Solvents

Date Tested
 06/30/2023
 06/21/2023
 06/20/2023
 06/21/2023
 06/21/2023
 06/21/2023

Status
 Tested
 Tested
 Tested
 Tested
 Tested
 Tested

ND
 Total $\Delta 9$ -THC

63.4 %
 $\Delta 8$ -THC

96.1 %
 Total Cannabinoids

Not Tested
 Moisture Content


Not Tested
 Foreign Matter

Yes
 Internal Standard
 Normalization


Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	5.25	52.5
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	3.41	34.1
CBDA	0.0043	0.013	ND	ND
CBDP	0.0067	0.02	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	0.251	2.51
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	9.73	97.3
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	0.730	7.30
$\Delta 8$ -THC	0.0104	0.0312	63.4	634
$\Delta 8$ -THCP	0.0067	0.02	ND	ND
$\Delta 8$ -THCV	0.0067	0.02	0.468	4.68
$\Delta 9$ -THC	0.0076	0.0227	ND	ND
$\Delta 9$ -THCA	0.0084	0.0251	ND	ND
$\Delta 9$ -THCP	0.0067	0.02	ND	ND
$\Delta 9$ -THCV	0.0069	0.0206	1.05	10.5
$\Delta 9$ -THCVA	0.0062	0.0186	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	3.49	34.9
(6aR,9S,10aR)-HHC	0.0067	0.02	5.23	52.3
$\Delta 8$ -iso-THC	0.0067	0.02	1.12	11.2
$\Delta 4,8$ -iso-THC	0.0067	0.02	2.00	20.0
Total $\Delta 9$-THC			ND	ND
Total			961	961

 ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total $\Delta 9$ -THC = $\Delta 9$ -THCA



 Generated By: Ryan Bellone
 CCO
 Date: 06/30/2023



 Tested By: Scott Caudill
 Senior Scientist
 Date: 06/30/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.


 ISO/IEC 17025:2017 Accredited
 Accreditation #108651


DA * 0

